

Category	Sub-Category	Description	Available
Area light	EZC	40W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,Ver.2	263
Area light	EZC	40W,120-277VAC DIM,Ra70 4000K Type3,Dark bronze,Ver.2	315
Area light	EZC	70W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,Ver.2	0
Area light	EZC	70W,120-277VAC DIM,Ra70 4000K Type3,Dark bronze V2	0
Area light	EZC	70W,120-277VAC DIM,Ra70 5000K Type3,Square Mount Dark bronze,Ver.2	60
Area light	EZC	70W,120-277VAC DIM,Ra70 4000K Type3,Square Mount Dark bronze Ver.2	0
Area light	EZC	100W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,Ver.2	489
Area light	EZC	100W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,P0 Ver.2	541
Area light	EZC	100W 120-277VAC 4000K Dark Bronze Square mount 3030 Ra70	6
Area light	EZC	150W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze (SS Driver)	0
Area light	EZC	150W,120-277VAC DIM,Ra70 4000K Type3,Dark bronze (SS Driver)	4
Area light	EZC	150W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,3pin Photocell SS Driver	415
Area light	EZC	150W,347-480VAC DIM,Ra70 5000K Type3,Dark bronze	721
Area light	EZC	150W,120-277VAC DIM,Ra70 4000K,Dark bronze	217
Area light	EZC	150W,120-277VAC DIM,Ra70 5000K Type3,Square Mount Dark bronze(SS-VA Driver With backlight shield srew holes)	88
Area light	EZC	150W 120-277VAC 5000K Dark Bronze Square mount 3030 Ra70 Type3(MLC))	1319
Area light	EZC	150W_120-277VAC_4000K_Dark Bronze_Square mount_3030 Ra70_Type3(MLC))	856
Area light	EZC	200W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze	0
Area light	EZC	200W,120-277VAC DIM,Ra70 4000K Type3,Dark bronze(SS Driver)	1
Area light	EZC	200W,120-277VAC DIM L130 Ra70 5000K Type3,Dark bronze,3pin photocell (SS Driver)	0
Area light	EZC	200W,120-277VAC DIM,Ra70 5000K Type3,Square Mount Dark bronze (SS Driver)	0
Area light	EZC	200W_347-480VAC_5000K_Dark Bronze_Square mount_3030 Ra70_Type3	209
Area light	EZC	250W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze	1225
Area light	EZC	250W,347-480VAC DIM,Ra70 5000K Type3,Dark bronze	336
Area light	EZC	250W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze,3pin photocell	56
Area light	EZC	200W,120-277VAC DIM,Ra70 4000K Type3,Square Mount Dark bronze(SS Driver)	111
Area light	EZC	300W,120-277VAC DIM,Ra70 5000K Type3,Dark bronze	-14
Area light	EZC	300W,120-277VAC DIM,Ra70 4000K Type3,Dark bronze	9
Area light	EZC	300W,120-277VAC DIM,Ra70 5000K Type3, Dark bronze,3pin Photocell	5
Area light	EZC	300W,347-480VAC DIM,Ra70 5000K Type3,Dark bronze	307
Area light	EZC	300W,347-480VAC DIM,Ra70 5000K Type5,Dark bronze	0
Area light	EZC	300W,120-277VAC DIM,Ra70 5000K Type3,Square Mount Dark bronze(With backlight shield srew holes)	-31
Area light	EZC	300W,120-277VAC DIM,Ra70 4000K,Square Mount Dark bronze	606
Area light	EZC	300W,120-277VAC DIM,Ra70 5000K,Square Mount Dark bronze	0
Area Light	ACE8	NEW shoebox Philips chip Sosen driver 100W 12901.1 lm 100-277V AC 50K, Select Mounting	992
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 100W 12901.1 lm 100-277V AC 50K coffee color, with Photocell Sensors	616
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 150W 18939.1 lm 100-277V AC40K coffee color	
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 150W 18939.1 lm 200-480 V AC 50K coffee color, Slip Fitter	150
Area Light	ACE8	NEW shoebox Philips chip Sosen driver 150W 18939.1 lm 100-277V AC 50K, coffee color without arms, Select Mounting	2462
Area Light	ACE8	NEW shoebox Philips chip Sosen driver 150W 18939.1 lm 100-277V AC 50K, coffee color with Photocell Sensors	1086
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 200W 25979.7 lm 100-277V AC 50K, coffee color	1002
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 200W 25979.7 lm 100-277V AC 50K, coffee color with Photocell Sensors	884
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 240W 31194.3 lm 100-277V AC 50K, coffee color Select Mounting	
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 300W 39090 lm 100-277V AC50K,coffee color.Select Mounting	2380
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 300W 39090 lm 100-277V AC 50K,coffee color with Photocell Sensors	1156
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 300W 39090 lm 100-277V AC 40K,coffee color	
Area Light	ACE8	NEW shoebox Seouls chip Sosen driver 300W 39090 lm 200-480V AC 50K ,Selct Mounting	480
Area Light	ACE8	NEW White Housing shoebox Seouls chip Sosen driver 150W 18939.1 lm 100-277V AC 50K	486
Area Light	ACE8	NEW White Housing shoebox Seouls chip Sosen driver 300W 39090 lm 100-277V AC 50K	417
Canopy	CPM	20W,120-277VAC,Ra70 5000K Clear lens,Dark bronze	37
Canopy	CPM	27W,120-277VAC,Ra70 5000K Clear lens,Dark bronze(NIS)	1229
Canopy	CPM	27W,120-277VAC DIM,Ra70 5000K Clear lens,Dark bronze(UL)	1358
Canopy	CPM	27W,120-277VAC DIM,Ra70 4000K Clear lens,Dark bronze(UL)	611
Canopy	CPM	_27W_120-277VAC_5000K_Dark Bronze_2835 Ra70(NIS)	250
Canopy	CPM	40W,120-277VAC,Ra70 5000K Clear lens,Dark bronze(NIS)	0
Canopy	CPM	40W 120-277VAC NIS White L130 Ra70 5000K Clear lens	618
Canopy	CPM	40W,120-277VAC DIM,Ra70 5000K Clear lens,Dark bronze(UL)	-60
Canopy	CPM	40W 120-277VAC DIM Dark bronze L130 Ra70 4000K Clear lens	-169
Canopy	CPM	40W 120-277VAC DIM 70CRI 5000K Clear lens White	2
Canopy	CPM	40W 120-277VAC NIS Dark bronze L130 Ra70 4000K Clear lens	0
Canopy	CPM	40W_120-277VAC_5000K_Dark Bronze_2835 Ra70(NIS)	308
Canopy	CPM	60W,120-277VAC,Ra70 5000K Clear lens,Dark bronze(NIS UL)	0
Canopy	CPM	60W,120-277VAC DIM,Ra70 5000K Clear lens,Dark bronze(UL)	1
Canopy	CPM	60W 120-277VAC NIS White L130 Ra70 5000K Clear lens	2
Canopy	CPM	60W 120-277VAC NIS Dark bronze L130 Ra70 4000K Clear lens	156
Canopy	CPM	60W 120-277VAC DIM 70CRI 5000K Clear lens White	0
Canopy	CPM	60W 120-277VAC DIM Dark bronze L130 Ra70 4000K Clear lens	0
Canopy	CPM	_60W_120-277VAC_5000K_Dark Bronze_25 Ra70(NIS)	1127
Canopy	CPM	CP06 90W,120-277VAC DIM, Ra70 5000K Parking garage,White	11
Flat Panel	PLF	2X2, 30W, 4000K, 3900LM	1000
Flat Panel	PLF	2X2, 30W, 5000K, 3900LM	700
Flat Panel	PLF	2X2, 36W, 4000K, 4680LM	1100
Flat Panel	PLF	2X2, 36W, 5000K, 4680LM	1100

Flat Panel	PLF	1X4, 36W, 4000K, 4680LM	350
Flat Panel	PLF	1X4, 36W, 5000K, 4680LM	540
Flat Panel	PLF	2X4, 40W, 4000K, 5200LM	34
Flat Panel	PLF	2X4, 40W, 5000K, 5200LM	400
Flat Panel	PLF	2X4, 48W, 4000K, 6200LM	4100
Flat Panel	PLF	2X4, 48W, 5000K, 6200LM	180
Flat Panel	PLF	2X4, 60W, 4000K, 7800LM	100
Flat Panel	PLF	2X4, 60W, 5000K, 7800LM	200
High Bay	MGO	67W,120-277VAC, Ra70 5000K Frosted lens,White(L130)	664
High Bay	MGO	90W,347-480VAC, Ra70 5000K Frosted lens,White (L130)	9
High Bay	MGO	97W,120-277VAC,Ra70 5000K Frosted lens,White(L130)	898
High Bay	MGO	97W 120-277VAC 70CRI 4000K Frosted lens White	385
High Bay	MGO	100W,120-277VAC,Ra70 5000K Frosted lens, Dark Bronze (L130)	0
High Bay	MGO	100W,120-277VAC DIM,Ra70 5000K Frosted lens, Silver Gray (L130)	5
High Bay	MGO	140W,120-277VAC,Ra70 5000K Frosted lens,White (L130)	862
High Bay	MGO	140W 120-277VAC 70CRI 4000K Frosted lens White	131
High Bay	MGO	180W,120-277VAC,Ra70 5000K Frosted lens,White (L130)	894
High Bay	MGO	180W 120-277VAC DIM 70CRI 4000K Frosted lens 24000lm White	-300
High Bay	MGO	180W 347-480VAC 70CRI 5000K Frosted lens White	244
High Bay	MOT	135W,120-277VAC,Ra70 5000K 120°Lens,Dark Bronze	103
High Bay	MOT	135W,347-480VAC,Ra70 5000K 120°Lens,Dark Bronze	174
High Bay	MOT	135W,120-277VAC,Ra70 4000K 120°Lens,Dark Bronze	170
High Bay	MOT	175W,120-277VAC,Ra70 5000K 120°Lens,Dark Bronze	287
High Bay	MOT	175W,120-277VAC ,Ra70 4000K 120°Lens,Dark Bronze	644
High Bay	MOT	200W,120-277VAC ,Ra70 5000K 120°Lens,Dark Bronze	-57
High Bay	MOT	200W,120-277VAC,Ra70 5000K 120°Lens,Dark Bronze,Emergency Battery	3
High Bay	MOT	200W,347-480VAC ,Ra70 5000K 120°Lens,Dark Bronze	148
High Bay	MOT	200W,120-277VAC,Ra70 4000K 120°Lens,Dark Bronze	530
High Bay	MGO-2	250W,347-480VAC DIM,Ra70 4000K 120°Lens,Dark Bronze	0
High Bay	MGO-2	340W,120-277VAC DIM,Ra70 5000K 120°Lens,Dark Bronze	827
High Bay	MGO-2	340W,120-277VAC DIM,Ra70 4000K 120°Lens,Dark Bronze	509
High Bay	MGO-2	340W,347-480VAC DIM,Ra70 5000K 120°Lens,Dark Bronze	523
High Bay	MGO-2	340W,347-480VAC DIM,Ra70 4000K 120°Lens,Dark Bronze	517
High Bay	MGO-3	67W,120-277VAC DIM,Ra80 5000K Frosted lens,Black(RAL9011)	823
High Bay	MGO-3	67W,120-277VAC DIM,Ra80 4000K Frosted lens,Black(RAL9011)	358
High Bay	MGO-3	97W,120-277VAC DIM,Ra80 5000K Frosted lens,Black(RAL9011)	578
High Bay	MGO-3	97W,120-277VAC DIM,Ra80 4000K Frosted lens,Black(RAL9011)	615
High Bay	MGO-3	97W_120-277VAC_4000K_Black_2835 Ra80_D1(Frosted lens CCT and Power Adjustable Ver.2)	3
High Bay	MGO-3	140W,120-277VAC DIM,Ra80 5000K Frosted lens,Black	516
High Bay	MGO-3	140W,120-277VAC DIM,Ra80 4000K Frosted lens,Black(RAL9011)	1205
High Bay	MGO-3	40W,120-277VAC DIM,Ra80 5000K 17500lm Frosted lens, Black (Without Trunnion bracket)	0
High Bay	MGO-3	140W,120-277VAC DIM,Ra80 4000K 17500lm Frosted lens,TR bracket Black(Without Trunnion bracket)	10
High Bay	MGO-3	140W_347-480VAC_5000K_Black_2835 Ra80(RAL9011)	0
High Bay	MGO-3	180W,120-277VAC DIM,Ra80 5000K Frosted lens,Black(RAL9011)	76
High Bay	MGO-3	180W,120-277VAC DIM,Ra80 4000K Frosted lens,Black(RAL9011)	214
High Bay	MGO-3	190W,120-277VAC DIM,Ra80 5000K Clear diffuser,Black(RAL9011)	0
High Bay	MGO-3	190W,120-277VAC DIM,Ra80 5000K 24000lm Frosted lens,TR bracket Black(Without Trunnion bracket)	0
High Bay	MGO-3	215W,120-277VAC DIM,Ra80 5000K Frosted lens,30000lm Black	359
High Bay	BOB	High bay PHILIPS chip Sosen driver 100W 12381lm 100-277V 50K 130°	292
High Bay	BOB	High bay PHILIPS chip Sosen driver 150W 19650lm 100-277V 50K 130°Clear PC Lens	2570
High Bay	BOB	High bay PHILIPS chip Sosen driver 150W 19650lm 100-277V 40K 130°Clear PC Lens	
High Bay	BOB	High bay PHILIPS chip Sosen driver 200W 25869 lm 100-277V 50K 130°.Clear PC Lens	821
High Bay	BOB	High bay PHILIPS chip Sosen driver 240W 32217lm 100-277V 50K 130°Clear PC Lens	1091
High Bay	BOB	High bay PHILIPS chip Sosen driver 240W 32217lm 100-277V 40K 130°Clear PC Lens	10
High Bay	BOB	High bay PHILIPS chip Sosen driver 150W 20530 lm 200-480V 50K 130°Clear PC Lens	1150
High Bay	BOB	High bay PHILIPS chip Sosen driver 200W 28858 lm 200-480V 50K 130°Clear PC Lens	1064
High Bay	BOB	High bay PHILIPS chip Sosen driver 240W 32217 lm 200-480V 50K 130°Clear PC Lens	630
High Bay	BOB	High bay PHILIPS chip Sosen driver 150W 19650lm 100-277V 50K 130°White Housing	247
High Bay	BOB	High bay PHILIPS chip Sosen driver 200W 25869lm 100-277V 50K 130°White Housing	403
High Bay	BOB	High bay PHILIPS chip Sosen driver 240W 32217lm 100-277V 50K 130°.White Housing	131
High Output Flood	FLS	450W LED Shoebox Meanwell Driver 60280lm 5000K Slip Fitter 100- 277V , 10KA Surge Protector	499
High Output Flood	FLS	450W LED Shoebox Meanwell Driver 60280lm 5000K Slip Fitter 200- 480V , 10KA Surge Protector	209
Linear Fixture	BLCM	4F 23W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	294
Linear Fixture	BLCM	4F 23W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	604
Linear Fixture	BLCM	4F 35W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	1226
Linear Fixture	BLCM	4F 35W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	463
Linear Fixture	BLCM	4F 45W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	658
Linear Fixture	BLCM	4F 45W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	1445
Linear Fixture	BLCM	8F 46W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	716
Linear Fixture	BLCM	8F 46W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	490
Linear Fixture	BLCM	8F 60W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	1
Linear Fixture	BLCM	8F 65W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	226
Linear Fixture	BLCM	8F 65W,120-277VAC DIM,Ra80 5000K Frosted lens ,White,(2835)	0
Linear Fixture	BLCM	4F 70W,120-277VAC DIM,Ra80 4000K Frosted lens ,White,(2835)	78

Linear Fixture	WRN	4', 40W, 5200lm, 3500K/4000K/5000K Selectable	9000
Linear High Bay	PDM3	22D 130W,120-277VAC DIM,Ra80 4000K Clear diffuser,White (2Pack)	1547
Linear High Bay	PDM3	12D 90W,120-277VAC DIM,Ra80 5000K Clear diffuser,White (2Pack)	1968
Linear High Bay	PDM3	12D 90W,120-277VAC DIM,Ra80 4000K Clear diffuser,White (2Pack)	1162
Linear High Bay	PDM3	12D 130W,120-277VAC DIM,Ra80 5000K Clear diffuser,White (2Pack)	537
Linear High Bay	PDM3	12D 130W,120-277VAC DIM,Ra80 4000K Clear diffuser,White (2Pack)	682
Linear High Bay	PDM3	12D 130W 120-277VAC DIM 80CRI 5000K Clear diffuser White Motion Senso	564
Linear High Bay	PDM3	12D 130W,120-277VAC DIM,Ra80 5000K Clear diffuser,White,12V Motion Sensor	1594
Linear High Bay	PDM3	14D 130W,120-277VAC DIM,Ra80 5000K Clear diffuser,White	57
Linear High Bay	PDM3	12D 130W,347-480VAC DIM,Ra80 5000K Clear diffuser,White (2835 2Pack)	0
Linear High Bay	PDM3	22D 180W,120-277VAC DIM,Ra80 5000K Clear diffuser,White(2pack)	1890
Linear High Bay	PDM3	22D 180W,120-277VAC DIM,Ra80 4000K Clear diffuser,White(2pack)	0
Linear High Bay	PDM3	22D 180W 120-277VAC DIM 80CRI 5000K Clear diffuser White Motion Sensor	852
Linear High Bay	PDM3	22D 180W,347-480VAC DIM,Ra80 5000K 25200lm Clear diffuser,White	141
Linear High Bay	PDM3	22D 180W,120-277VAC DIM,Ra80 5000K Clear diffuser,White,12V Motion Sensor	1566
Linear High Bay	PDM3	L 14D 180W,120-277VAC DIM,Ra80 4000K Clear diffuser,White (2835)	170
Linear High Bay	PDM3	L 14D 180W,120-277VAC DIM,Ra80 5000K Clear diffuser,White (2835)	346
Linear High Bay	PDM3	22D 210W,120-277VAC DIM,Ra80 5000K Clear diffuser,White(2pack)	126
Linear High Bay	PDM3	22D 210W,120-277VAC DIM,Ra80 4000K Clear diffuser,White(2pack)	706
Linear High Bay	PDM3	22D 210W,347-480VAC DIM,Ra80 5000K 29000lm Clear diffuser,White	149
Linear High Bay	PDM3	L 14D 210W,120-277VAC DIM,Ra80 5000K Clear diffuser,White (2835)	234
Linear High Bay	PDM3	_210W 120-277VAC 5000K White 2835 Ra80 Clear diffuser Motion sensor(12V 2pack)	222
Linear High Bay	PDM3	24D 270W 120-277VAC DIM White 2835 Ra80 5000K Clear diffuser	0
Linear High Bay	PDM3	24D 270W 120-277VAC DIM White 2835 Ra80 4000K Clear diffuser	1123
Linear High Bay	PDM3	24D 300W,120-277VAC DIM,Ra80 4000K Clear diffuser,White	838
Linear High Bay	PDM3	24D 300W,120-277VAC DIM,Ra80 5000K Clear diffuser,White (2835)	1609
Linear High Bay	PDM3	24D 300W,347-480VAC DIM,Ra80 5000K Clear diffuser,White	1174
Linear High Bay	PDM3	24D 370W,120-277VAC DIM,Ra80 5000K Clear diffuser,White	0
Roadways	ROA	70W,120-277VAC DIM, Ra70 4000K Type3,Silver Gray,3pin photocell(5050)	64
Roadways	ROA	70W,120-277VAC DIM, Ra70 3000K Type3,Silver Gray,3pin photocell(5050)	0
Roadways	ROA	100W,120-277VAC DIM, Ra70 4000K Type3,Silver Gray,3pin photocell(5050)	0
Roadways	ROA	100W,120-277VAC DIM, Ra70 3000K Type3,Silver Gray,3pin photocell(5050)	0
Roadways	ROA	150W,120-277VAC DIM, Ra70 4000K Type3,Silver Gray,3pin photocell(5050)	410
Roadways	ROA	150W,120-277VAC DIM, Ra70 5000K Type3,Silver Gray,3pin photocell(5050)	0
Sports Light	LSL2	SL01 350W,120-277VAC DIM,Ra70 5000K 4H*4V ,Black Trunnion mount(5050)	0
Sports Light	LSL2	SL01 500W,120-277VAC DIM,Ra70 5000K 4H*4V ,Black,Trunnion(5050)	0
Sports Light	LSL2	SL01 500W,120-277VAC DIM,Ra70 5700K 4H*4V ,Black Trunnion mount(5050)	33
Sports Light	LSL2	SL01 500W,347-480VAC DIM,Ra70 5000K 71000lm 4H*4V ,Black Trunnion(5050)	6
Sports Light	LSL2	SL01 505W,347-480VAC DIM,Ra70 5000K 4H*4V ,Black body, Red Trunnion mount(5050)	0
Sports Light	LSL2	SL01 505W,120-277VAC DIM,Ra70 5000K 70000lm 4H*4V ,Black body Black Trunnion mount	66
Sports Light	LSL2	SL01 505W 120-277VAC DIM Ra70 5000K 70000lm 4H*4V All Black(6V 50)	0
Sports Light	LSL2	SL01 505W 277-480VAC DIM Ra70 5000K 4H*4V 70000lm All Black	3
Sports Light	LSL2	SL01 505W,347-480VAC DIM,Ra70 5000K 4H*4V Black body Red Trunnion mount(6V 5050)	0
Sports Light	LSL2	SL01_505W_120-277VAC_5000K_Black_Trunnion mount_5050 Ra70_4H*4V(6V 5050 Black body Black plate pinch)	-52
Sports Light	LSL2	SL01_505W_347-480VAC_5000K_Black_Trunnion mount_5050 Ra70_4H*4V(6V 5050 Black body Black plate pinch)	0
Sports Light	LSL2	SL01E_600W_347-480VAC_5000K_Black_Trunnion mount_5050 Ra70_4H*4V(Black body Black Trunnion mount 6V 5050 Black pla	238
Sports Light	LSL2	SL01 650W,277-480VAC DIM,Ra70 5000K 4H*4V ,Black body Red Trunnion mount(5050)	6
Sports Light	LSL2	SL01 650W,277-480VAC DIM,Ra70 5700K 4H*4V ,Black body Red Trunnion mount(5050)	94
Sports Light	LSL2	SL01 850W,277-480VAC DIM,Ra70 5700K 4H*4V ,Black body Red Trunnion mount	270
Sports Light	LSL-3	SL02 510W,120-277VAC DIM,Ra70 5000K 4H*4V ,Black body Black Trunnion mount(6V 5050)	-9
Stairwell Light	STW	Stairwell Light, 4FT, Power Selectable: 35/45/55W, CCT Selectable: 30/40/50K, Built-in Ultrasonic Sensor	368
Stairwell Light	STW	Stairwell Light, 4FT, Power Selectable: 35/45/55W, CCT Selectable: 30/40/50K, Built-in Ultrasonic Sensor, Built-in 10W EM Battery	385
Troffer	SIA	2X2, 25W/30W/35W Selectable, 3125LM/3750LM/4675LM, 3500K/4000K/5000K Selectable	1500
Troffer	SIA	2X4, 40W/45W/50W Selectable, 4290LM/5200LM/6500LM, 3500K/4000K/5000K Selectable	3000
Vapor Tight	PRS	LED Linear Vapor Tight: 4FT, 52W, 4000K, 130LPW, UL, DLC 5.1 Premium	149
Vapor Tight	PRS	LED Linear Vapor Tight: 8FT, 75W, 4000K, 130LPW, UL, DLC 5.1 Premium	304
Vapor Tight	PRS	LED Linear Vapor Tight: 8FT, 75W, 5000K, 130LPW, UL, DLC 5.1 Premium	190
Vapor Tight	PRS	LED Linear Vapor Tight: 8FT, 90W, 4000K, 130LPW, UL, DLC 5.1 Premium	13
Wallpack	WPK8	30W,120-277VAC,Ra70 5000K Clear lens,Dark bronze (NIS)	494
Wallpack	WPK8	M 30W 120-277V NIS Dark bronze L130 CRI70 4000K Clear lens	12
Wallpack	WPK8	30W,120-277VAC,Ra70 5000K Clear lens,Dark bronze (NIS)	740
Wallpack	WPK8	30W,120-277VAC,Ra70 5000K Clear lens,Dark bronze (NIS)	1122
Wallpack	WPK8	30W,120-277VAC,Ra70 4000K Clear lens,Dark bronze,Ver.2(2835)	393
Wallpack	WPK8	30W,120-277VAC,Ra70 5000K Clear lens,Dark bronze,Photocell(NIS 2835)	518
Wallpack	WPK8	_30W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens NIS Ver.2)	50
Wallpack	WPK8	40W,120-277VAC,Ra70 4000K Clear lens,Dark bronze (NIS)	13
Wallpack	WPK8	40W,120-277VAC,Ra70 5000K Clear lens,Dark bronze,Ver.2 (25)	-5
Wallpack	WPK8	40W,120-277VAC,Ra70 5000K Clear lens,Dark bronze,Photocell(NIS 2835)	0
Wallpack	WPK8	65W,120-277VAC,Ra70 5000K Clear lens,Dark bronze (NIS)	0
Wallpack	WPK8	65W,120-277VAC,Ra70 5000K Clear lens,Dark bronze,Photocell (NIS)	0
Wallpack	WPK8	65W,120-277VAC,Ra70 4000K Clear lens,Dark bronze (NIS)	0

Wallpack	WPK8	65W,120-277VAC,Ra70 CCT Adjustable Clear lens,Dark bronze,Ver.2(2835)	111
Wallpack	WPK8	_65W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Ver.2 NISG)	373
Wallpack	WPK8	_65W_120-277VAC_5000K_Dark Bronze_2835 Ra70_P0 Photocell(Clear lens NIS Ver.2)	290
Wallpack	WPK8	_65W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens NIS Ver.2)	312
Wallpack	WPK8	90W,120-277VAC DIM,Ra70 5000K Clear lens,Dark bronze	6
Wallpack	WPK8	90W 120-277V DIM Dark bronze L130 CRI70 5000K Clear lens	0
Wallpack	WPK8	90W 120-277V DIM Dark bronze L130 CRI70 4000K Clear lens	550
Wallpack	WPK8	90W,347-480VAC DIM,Ra70 5000K Clear lens,Dark bronze	0
Wallpack	WPK8	90W,120-277VAC DIM,Ra70 5000K Clear lens,Dark bronze,Photocell(2835)	349
Wallpack	WPK8	90W,120-277VAC DIM,Ra70 4000K Clear lens,Dark bronze(2835)	600
Wallpack	WPK8	_90W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens DIM Ver.2)	500
Wallpack	WPK8	_90W_347-480VAC_5000K_Dark Bronze_2835 Ra70(Clear lens HDIM Ver.2)	177
Wallpack	WPK8	_90W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens NISG100W43N-850 Ver.2)	500
Wallpack	WPK8	100W,120-277VAC DIM,Ra70 CCT Adjustable Clear lens,Dark bronze,Ver.2(2835)	595
Wallpack	WPK8	125W,120-277VAC,Ra70 4000K Clear lens,Dark bronze	5
Wallpack	WPK8	125W,120-277VAC,Ra70 4000K Clear lens,Dark bronze,Ver.2(DIM 2835)	265
Wallpack	WPK8	_125W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens DIM Ver.2)	297
Wallpack	WPK8	*_125W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Clear lens NISG Ver.2)	-10
Wallpack	FM10	27W,120-277VAC,Ra70 5000K Type3,Dark bronze(L130 NIS)	284
Wallpack	FM10	27W,120-277VAC,Ra70 4000K Type3,Dark bronze	178
Wallpack	FM10	27W,120-277VAC,Ra70 5000K Type3,Dark bronze ,Photocell(L130 NIS)	320
Wallpack	FM10	40W,120-277VAC,Ra70 5000K Type3,Dark bronze(L130 NIS)	104
Wallpack	FM10	40W,120-277VAC,Ra70 4000K Type3,Dark bronze	0
Wallpack	FM10	67W 120-277VAC 70CRI 5000K Type2 8800lm Dark bronze	194
Wallpack	FM10	67W,120-277VAC,Ra70 4000K Type2,Dark bronze	0
Wallpack	FM10	_67W_120-277VAC_4000K_Dark Bronze_3030 Ra70(L130 NIS Ver.2)	273
Wallpack	FM10	80W,120-277VAC DIM,Ra70 5000K Type2,Dark bronze(L130)	6
Wallpack	FM10	80W,120-277VAC DIM,Ra70 4000K Type2,Dark bronze	61
Wallpack	FM10	80W,120-277VAC DIM,Ra70 5000K Type2,Dark bronze,Photocell (L130)	345
Wallpack	FM10	_80W_120-277VAC_4000K_Dark Bronze_3030 Ra70(DIM Type2 Ver.2)	0
Wallpack	WPK15	38W,120-277VAC,Ra70 CCT and Power Adjustable Type3.,Dark bronze(NISG 2835)	148
Wallpack	WPK15	_26W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Type3 NIS)	142
Wallpack	WPK15	_26W_120-277VAC_4000K_Dark Bronze_2835 Ra70(Type3 NIS)	444
Wallpack	WPK15	_38W_120-277VAC_4000K_Dark Bronze_2835 Ra70(Type3 NIS)	500
Wallpack	WPK15	_38W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Type3 NIS)	280
Wallpack	WPK15	_65W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Type3 NIS)	200
Wallpack	WPK15	_65W_120-277VAC_4000K_Dark Bronze_2835 Ra70(Type3 NIS)	104
Wallpack	WPK15	_100W_120-277VAC_5000K_Dark Bronze_2835 Ra70(Type3 NISG100W43N-850)	200
Wallpack	WPK15	_100W_120-277VAC_4000K_Dark Bronze_2835 Ra70(Type3 NIS)	129
Wallpack	WPK15	65W,120-277VAC,Ra70 CCT and Power Adjustable Type3.,Dark bronze(NISG 2835)	3
Wallpack	BWP	41W LED Wallpack 5000K 100-277V 3478lm, Plastic Cover	49
Wallpack	BWP	60W LED Wallpack 5000K 100-277V 7259lm, Glass Cover BronzeHousing	8
Wallpack	BWP	60W LED Wallpack 5000K 100-277V 7259lm, Glass Cover BronzeHousing With Compatible photocell	230
Wallpack	BWP	100W LED Wallpack 5000K 100-277V 11561lm, Plastic Cover Bronze Housing	15
Wallpack	BWP	100W LED Wallpack 5000K 100-277V 11561lm, Glass Cover BronzeHousing	135
Wallpack	BWP	LARGE Wall Pack 120W ,15600 lm,100-277V ,brownz PC cover, WithCompatible photocell	538
Wallpack	BWP	LARGE Wall Pack 150W ,15600 lm,100-277V ,brownz PC cover,WithCompatible photocell	369
Wrap Light	TRK	4', 30W/35W/40W Selectable, 3900lm 4550lm 5200lm, 3500K/4000K/ 5000K Selectable	3000